

# MEDICAL GRADE AIO PCs & MONITORS


Windows 11

PLUS ACCESSORIES

EDITION 2.0

FREEWAYMEDTECH.COM

# CONTENTS



NHS

NHS Supply Chain

via eDirect.



# 82

## MT202 6-bay battery charger

Our off-unit charging accessory for the MT202 Li-ion battery packs.

# 84

## Product cleaning and chemical guide

General cleaning information and use of suitable industrystandard chemical products.





# WHY BUY FREEWAY MED-TECH?

Well, just look at the high specification components we use

in our Medical Grade AIO PCs as <u>STANDARD</u> equipment.



#### More cores in our CPUs

We use 10th gen Intel CPUs which have as many as 4 times the number of cores compared with similar AIOs from other manufacturers.

## Blazingly fast storage

We use mPCle NVMe type SSD storage modules which are approx 5 times faster than competitors' commonly used SATA SSDs.

#### WiFi 6 networking

Not only faster than WiFi 5, but our WiFi 6 card ensures better compatibility with newer networks.

## COM serial ports

Expansive connectivity with multiple COM ports as standard on our MT400 and MT500 products.

"2x serial ports MT500 / 3x serial ports MT400

# Impressive Electrostatic

**Discharge Isolation** Up to 30kV isolation on USB,

HDMI and Ethernet. This far exceeds most competitors' systems and the 60601 requirements!

# tap to edit Burtooth Eattary 0

#### On-screen display menus

Edit parameters like brightness, volume and wifi selection via a single function button and touch screen taps. Great for a clinical environment.





#### Built-in mic and powerful stereo speaker system

An integral mic make our screens easily adapted for telemedicine applications with the optional camera added.

"Downward facing speakers result in a louder, brighter sound.

#### Tech that is unrivalled at our price point!

Most of the features listed here are either optional extras or not available on other manufacturer's units.



# **MEDICAL AIO**



## BATTERY POWERED / 24IN



Freeway Med-Tech's battery powered AIOs use desktop-class processors.


Not all i5 CPUs are equal!


Check out the comparisons opposite...

### Graph Performance Key >

Taller bars and higher numbers in the graphs indicate better performance. For example, a score of 10000 shows a CPU is twice as powerful as one rated at 5000.

Comparisons shown opposite, use the popular **Passmark Rating** generated via the website **www.cpubenchmark.net** 










Put simply, we knock the socks off our rivals' **AIO** processors!

NHS Trust's save £1000's by purchasing our i5 AIO for an entire fleet of workstations, when compared with purchasing a competitors' i7 model. AND, not only is there a huge cost saving, the performance would be better too! What's not to like?

See yet more performance comparisons opposite...

Comparisons shown, use the popular **User Benchmark** scores generated via the website **cpu.userbenchmark.com** 







## MT500-24T - AIO BATTERY POWERED 24IN MEDICAL PC

#### MT500-24T - AIO BATTERY POWERED 24IN MEDICAL PC

NHS NHS Supply Chain



#### STATE-OF-THE-ART TOUCH SCREEN





#### CHARGER DOCK (available separately)




#### PRODUCT CODE MT500-24T Battery powered 24in AIO touch screen medical grade monitor/PC

The Freeway Med-Tech MT500-24T Battery Powered All-In-One Monitor/PC offers fully mobile computing with its powerful, hot-swappable rechargeable battery packs. Options for 1, 2 or 3 Lithium-ion batteries allow for either an emergency power back up, or totally wire-free operation. Also features a handy built-in reading light.

#### DIMENSIONS

Height = 370.9mm Width = 564.4mm Depth = 41.2mm

#### PRODUCT ELEVATIONS



#### KEY FEATURES


- Uses up to 3 Lithium-ion batteries for a full shift of mobile operation
- No need to be near mains power
- Intel Core-i5/7/9 processors
- Runs Microsoft® Windows® / Linux / Igel
- DC outputs can power PC peripherals and other medical equipment
- High contrast 24" capacitive-type touch screen
- Slim fanless design
- UL60601 certified with anti-microbial enclosure
- Withstands common medical environment cleaning chemicals\*

#### FRONT





REAR



Uses up to 3 Li-ion batteries



100x100 VESA mounting





#### Water resistant enclosures

The screen and rear enclosure are IP rated against dust and moisture ingress, ensuring easy cleaning and disinfection\*.

\*See pages 194/5 for detailed information on cleaning chemicals and procedures.



#### Choice of processor

Modern Intel<sup>®</sup> Core-i5/7/9 range of processors to choose from.



Optional DC-out Can power PC peripherals and other medical equipment.



#### Battery status made easy

Front facing LED battery indicators offer feedback on the health of each battery.

### MT500-24T - AIO BATTERY POWERED 24IN MEDICAL PC

### MT500-24T - AIO BATTERY POWERED 24IN MEDICAL PC



Easily hot-swap battery packs in a matter of seconds



Clear battery status LEDs



The **OPTIONAL** DC-out can power PC peripherals!



Choice of processors from the 10th generation Intel Core i range! intel (intel intel

CORE is CORE 19 CORE 17

A choice of 6 to 10 cores of Intel processing power:



Industry standard OS for medical software and systems.

#### TECHNICAL SPECIFICATIONS

System		
CPU	Intel <sup>®</sup> Core <sup>™</sup> i5-10500T, 2.3 GHz (up to 3.8GHz) - <b>6 core</b> Intel <sup>®</sup> Core <sup>™</sup> i7-10700T, 2.0 GHz (up to 4.5GHz) - <b>8 core</b> Intel <sup>®</sup> Core <sup>™</sup> i9-10900T, 1.9 GHz (up to 4.6GHz) - <b>10 core</b>	intel
RAM	8GB to 64GB	
Storage	256Gb to 4TB Flash (mPCle NVMe type SSD)	
Operating System	Microsoft® Windows®/Linux/Igel - specify pre-install if required	
Display	23.8in capacitive touch screen	
Display resolution	1920×1080	
Trusted platform module	TPM 2.0	
Reading light	LED reading light × 1	
Microphone and speaker	Built-in microphones and speaker	
Network Interface		
WLAN	Ethernet 10/100/1000 MB Base-T LAN; Wi-Fi 802.11 ax, 2.4GHz/5GHz dual band	
Bluetooth	Bluetooth 5.1	
I/O Ports		
USB Ports	USB 2.0 x 2 and USB 3.0 x 4	
COM Port	2	
HDMI-out (1.4a)	I	
Audio Jack	I	
Ethernet	RJ45 connector for ethernet × I	
DC-in	I	
DC-out (optional)	12V x 1, 15V x 1, 19V x 1	

#### Faster processors than our competitors!

Our Intel<sup>®</sup> Core i5 CPU is effectively 30% faster in real-world benchmark tests.

*Shorter bars are better Our Competitors' i5 CPU		ifin		
Our Competitors' i5 CPU		Competitors' CPU	Med-Tech CPU	
Freeway Med-Tech's i5 CPU		to a strength and the strength and the	and the second se	
Theeway fried-fections is CFO		SPEED RANK 522nd / 1386	STEED RANKE 206th / 1385	




Mechanical/Environmental	
Fan/Fanless	Fanless
AC/DC Adaptor	Input: 100 – 240V AC; Output: 19V DC, 6.31A
Battery Pack	MT202 Li-ion battery; 85Wh, 7800mAh x 3 (optional)
Enclosure	ABS + PC plastics, anti-microbial enclosure
Dimensions $(H \times W \times D)$	370.9 x 564.4 x 41.2mm
Weight	7.4kg (without battery) - 8.8kg (with 3 batteries)
VESA-compliant mounting	100mm × 100mm VESA standard
Water Resistance	Front panel: IP65; Enclosure: IPX2
Regulatory	ANSI/AAMI ES60601-1, IEC60601-1, IEC60601-1-2, FCC Part 18, FCC Part 15 Class B, GB 17625.1, GB 4943.1, GB/T 9254, CE-EMC, CE-RED, RCM, CCC
Major options	
Camera	Full-HD front camera
NFC/RFID reader	Dual frequency, reads both 125KHz and 13.56MHz credentials
Smart Card/CAC Reader	Full-slot, reads ISO 7816T=0,T=1; 1.8/3/5V smart card











#### MT500-24T ACCESSORIES (available separately)



MT202 Li-ion battery pack



MT202 6-gang battery charger

#### Battery status. Constantly visible.

The Freeway Med-Tech MT500-24T (AIO) and the MT700-24T (Monitor) products feature an intuitive LED battery health indicator system that is always visible at the top of the panel.

Simply by glancing at the top left of the screen, the user can quickly see if the batteries are; fully charged, partly charged or are in need of immediate charging. The same indicators will also tell the user when the unit is plugged in and charging.

See the images opposite for the indication of each stage.

		tatus lights uated here
	FREEVVAY	
1	Medical Monitor MT700-24T	
	annan III	





11 A blinking blue indicator... This means the corresponding battery is charging. 711

#### A solid blue indicator...

This means the corresponding battery is charged 25% and above. No need to worry about charging in the near term.

Patlents -


#### A solid orange indicator...

This means the corresponding battery is charged between 24-10%. The user should be aware that the pack will need charging soon.

## 17

711 a mains socket (if applicable).

\_







#### The on-screen menu



#### A blinking orange indicator...

This means the corresponding battery is charged 9% or less. The user should swap out the battery or plug the iWOW into

#### Exact percentages can be seen by entering the menu using the monitor's function buttons.

#### Choose your performance spec based around the Intel<sup>®</sup> Pentium<sup>™</sup> central processing unit.

Delivered ready to switch on, each Freeway Med-Tech AIO monitor/PC is pre-installed with an OS ready to enter your license details.

A standard warranty of 12 months from date of purchase covers any faulty components or workmanship with the option to extend this by an extra 48 months to 5 years in total from date of purchase.

Please quote the correct part number opposite when ordering as all units are custom built.

#### MT500-24T with Intel<sup>®</sup> Pentium<sup>™</sup> CPU

23.6in Medical Cart Computer with capacitive touch LCD, Intel<sup>®</sup> 10th Gen Pentium<sup>™</sup> processor, medical grade AC/DC adapter.





<b>BENTUM</b>		HDD ••	{ <u>00000000</u> }	WARRANTY	
Part Number	Operating System	Storage	RAM	Standard Warranty	Extended Warranty*
MT500-24T-584TP0-X- <b>495</b>	Specify when ordering	256GB	8GB	12 months	60 months
MT500-24T-584TP0-X- <b>595</b>	Specify when ordering	256GB	16GB	12 months	60 months
MT500-24T-584TP0-X- <b>5A5</b>	Specify when ordering	512GB	16GB	12 months	60 months

\*Extended Warranty available as a cost option, please enquire for prices at time of order: Extended Warranty must be ordered at time of purchase. Extended Warranty is a 48 month extension on top of the standard 12 months offered, to provide 60 months from date of first purchase.

#### MT500-24T - i5 PROCESSOR - STORAGE AND MEMORY CHOICE

#### Choose your performance spec based around the powerful Intel<sup>®</sup> i5 Core<sup>™</sup> central processing unit.

Delivered ready to switch on, each Freeway Med-Tech AIO monitor/PC is pre-installed with an OS ready to enter your license details.

A standard warranty of 12 months from date of purchase covers any faulty components or workmanship with the option to extend this by an extra 48 months to 5 years in total from date of purchase.



Please quote the correct part number opposite /!\ when ordering as all units are custom built.

## CINE IS

#### MT500-24T with Intel<sup>®</sup> i5 Core<sup>™</sup> CPU

23.6in Medical Cart Computer with capacitive

medical grade AC/DC adapter.

(intel) **CORE i5** 

**10TH GEN** 

touch LCD, Intel<sup>®</sup> 10th Gen i5 Core<sup>™</sup> processor,

Part Number

MT500-24T-584T50-X-4

MT500-24T-584T50-X-5

#### MT500-24T-584T50-X-5

\*Extended Warranty available as a cost option, please enquire for prices at time of order: Extended Warranty must be ordered at time of purchase. Extended Warranty is a 48 month extension on top of the standard 12 months offered to provide 60 months from date of first purchase



	-	HDD	<u>[]]]]</u>	WARRANTY	
	Operating System	Storage	RAM	Standard Warranty	Extended Warranty*
195	Specify when ordering	256GB	8GB	12 months	60 months
95	Specify when ordering	256GB	16GB	12 months	60 months
A5	Specify when ordering	512GB	16GB	12 months	60 months

#### Choose your performance spec based around the powerful Intel<sup>®</sup> i7 Core<sup>™</sup> central processing unit.

Delivered ready to switch on, each Freeway Med-Tech AIO monitor/PC is pre-installed with an OS ready to enter your license details.

A standard warranty of 12 months from date of purchase covers any faulty components or workmanship with the option to extend this by an extra 48 months to 5 years in total from date of purchase.

Please quote the correct part number opposite when ordering as all units are custom built.

### MT500-24T with Intel<sup>®</sup> i7 Core<sup>™</sup> CPU

23.6in Medical Cart Computer with capacitive touch LCD, Intel<sup>®</sup> 10th Gen i7 Core™ processor, medical grade AC/DC adapter. Supplied with 3 x MT202 Batteries.





() () () () () () () () () () () () () (		HDD	[00000000]		
Part Number	Operating System	Storage	RAM	Standard Warranty	Extended Warranty*
MT500-24T-584T70-X- <b>495</b>	Specify when ordering	256GB	8GB	12 months	60 months
MT500-24T-584T70-X- <b>595</b>	Specify when ordering	256GB	16GB	12 months	60 months
MT500-24T-584T70-X- <b>5A5</b>	Specify when ordering	512GB	16GB	12 months	60 months

\*Extended Warranty available as a cost option, please enquire for prices at time of order. Extended Warranty must be ordered at time of purchase. Extended Warranty is a 48 month extension on top of the standard 12 months offered, to provide 60 months from date of first purchase.

### MT500-24T - i9 PROCESSOR - STORAGE AND MEMORY CHOICE

#### Choose your performance spec based around the powerful Intel<sup>®</sup> i9 Core<sup>™</sup> central processing unit.

Delivered ready to switch on, each Freeway Med-Tech AIO monitor/PC is pre-installed with an OS ready to enter your license details.

A standard warranty of 12 months from date of purchase covers any faulty components or workmanship with the option to extend this by an extra 48 months to 5 years in total from date of purchase.



Please quote the correct part number opposite /!\ when ordering as all units are custom built.

## CINE IS

#### MT500-24T with Intel<sup>®</sup> i9 Core<sup>™</sup> CPU

23.6in Medical Cart Computer with capacitive

MT202 Batteries.

(intel)

**CORE i9** 

**10TH GEN** 

touch LCD, Intel<sup>®</sup> 10th Gen i9 Core<sup>™</sup> processor, medical grade AC/DC adapter. Supplied with 3 x Part Number

MT500-24T-584T90-X-4

#### MT500-24T-584T90-X-5

#### MT500-24T-584T90-X-5

\*Extended Warranty available as a cost option, please enquire for prices at time of order: Extended Warranty must be ordered at time of purchase. Extended Warranty is a 48 month extension on top of the standard 12 months offered to provide 60 months from date of first purchase



		HDD		WARRANTY	WARRANT?
	Operating System	Storage	RAM	Standard Warranty	Extended Warranty*
195	Specify when ordering	256GB	8GB	12 months	60 months
95	Specify when ordering	256GB	I 6GB	12 months	60 months
A5	Specify when ordering	512GB	16GB	12 months	60 months



# **MEDICAL AIO**



## BATTERY POWERED / 22IN



#### MT500-22T - AIO BATTERY POWERED 22IN MEDICAL PC

#### MT500-22T - AIO BATTERY POWERED 22IN MEDICAL PC

NHS NHS Supply Chain



#### STATE-OF-THE-ART TOUCH SCREEN





#### CHARGER DOCK (available separately)




#### PRODUCT CODE MT500-22T Battery powered 22in AIO touch screen medical grade monitor/PC

The Freeway Med-Tech MT500-22T Battery Powered All-In-One Monitor/PC offers fully mobile computing with its powerful, hot-swappable rechargeable battery packs. Options for 1, 2 or 3 Lithium-ion batteries allow for either an emergency power back up, or totally wire-free operation. Also features a handy built-in reading light.

#### DIMENSIONS

Height = 345.9mm Width = 516.9mm Depth = 40.4mm

#### PRODUCT ELEVATIONS



#### KEY FEATURES


- Uses up to 3 Lithium-ion batteries for a full shift of mobile operation
- No need to be near mains power
- Intel Core-i5/7/9 processors
- Runs Microsoft® Windows® / Linux / Igel
- DC outputs can power PC peripherals and other medical equipment
- High contrast 22" capacitive-type touch screen
- Slim fanless design
- UL60601 certified with anti-microbial enclosure
- Withstands common medical environment cleaning chemicals\*

#### FRONT





REAR



#### CALL US NOW FOR MORE INFO ON 01635 866717 OR EMAIL SALES@FREEWAYMEDTECH.COM

Uses up to 3 Li-ion batteries



100x100 VESA mounting





#### Water resistant enclosures

The screen and rear enclosure are IP rated against dust and moisture ingress, ensuring easy cleaning and disinfection\*.

\*See pages 194/5 for detailed information on cleaning chemicals and procedures.



#### Choice of processor

Modern Intel<sup>®</sup> Core-i7/9 range of processors to choose from.



Optional DC-out Can power PC peripherals and other medical equipment.



#### Battery status made easy

Front facing LED battery indicators offer feedback on the health of each battery.

### MT500-22T - AIO BATTERY POWERED 22IN MEDICAL PC



Easily hot-swap battery packs in a matter of seconds



Clear battery status LEDs



The **OPTIONAL** DC-out can power PC peripherals!



	f processors ation Intel C	from the ore i range!
	ļ	
(intel)	intel	(intel)
CORE 15	CORE 19	CORE 17

A choice of 6 to 10 cores of Intel processing power:



Industry standard OS for medical software and systems.

#### TECHNICAL SPECIFICATIONS

System		
CPU	Intel <sup>®</sup> Core <sup>™</sup> i5-10500T, 2.3 GHz (up to 3.8GHz) - <b>6 core</b> Intel <sup>®</sup> Core <sup>™</sup> i7-10700T, 2.0 GHz (up to 4.5GHz) - <b>8 core</b> Intel <sup>®</sup> Core <sup>™</sup> i9-10900T, 1.9 GHz (up to 4.6GHz) - <b>10 core</b>	intel
RAM	8GB to 64GB	
Storage	256Gb to 4TB Flash (mPCle NVMe type SSD)	
Operating System	Microsoft® Windows®/Linux/Igel - specify pre-install if required	
Display	21.5in capacitive touch screen	
Display resolution	1920×1080	
Trusted platform module	TPM 2.0	
Reading light	LED reading light × 1	
Microphone and speaker	Built-in microphones and speaker	
Network Interface		
WLAN	Ethernet 10/100/1000 MB Base-T LAN; Wi-Fi 802.11ax, 2.4GHz/5GHz dual band	
Bluetooth	Bluetooth 5.1	
I/O Ports		
USB Ports	USB 2.0 x 2 and USB 3.0 x 4	
COM Port	2	
HDMI-out (1.4a)	I	
Audio Jack	I	
Ethernet	RJ45 connector for ethernet × I	
DC-in	I	

#### Faster processors than our competitors!

Our Intel<sup>®</sup> Core i5 CPU is effectively 30% faster in real-world benchmark tests.

*Shorter bars are better		-16	- 24
Our Competitors' i5 CPU		Competitors' CPU	Med-Tech CPU
Freeway Med-Tech's i5 CPU	~	in the second	and the second se
Theeway Hed-Techs is Cr o		SPEED RANK 522nd / 1386	STEED RANKE 206th / 1385

Moisture resistant medical-grade front panel




Mechanical/Environmental	
Fan/Fanless	Fanless
AC/DC Adaptor	Input: 100 – 240V AC; Output: 19V DC, 6.31A
Battery Pack	MT202 Li-ion battery; 85Wh, 7800mAh x 3 (optional)
Enclosure	ABS + PC plastics, anti-microbial enclosure
Dimensions $(H \times W \times D)$	345.9 x 516.9 x 40.4mm
Weight	7.3kg (without battery) - 8.7kg (with 3 batteries)
VESA-compliant mounting	100mm × 100mm VESA standard
Water Resistance	Front panel: IP65; Enclosure: IPX2
Regulatory	ANSI/AAMI ES60601-1, IEC60601-1, IEC60601-1-2, FCC Part 18, FCC Part 15 Class B, GB 17625.1, GB 4943.1, GB/T 9254, CE-EMC, CE-RED, RCM, CCC
Major options	
Camera	Full-HD front camera
NFC/RFID reader	Dual frequency, reads both 125KHz and 13.56MHz credentials
Smart Card/CAC Reader	Full-slot, reads ISO 7816T=0,T=1; 1.8/3/5V smart card











#### MT500-22T ACCESSORIES (available separately)



MT202 Li-ion battery pack



MT202 6-gang battery charger

#### Choose your performance spec based around the Intel<sup>®</sup> Pentium<sup>™</sup> central processing unit.

Delivered ready to switch on, each Freeway Med-Tech AIO monitor/PC is pre-installed with an OS ready to enter your license details.

A standard warranty of 12 months from date of purchase covers any faulty components or workmanship with the option to extend this by an extra 48 months to 5 years in total from date of purchase.

Please quote the correct part number opposite when ordering as all units are custom built.

#### MT500-22T with Intel<sup>®</sup> Pentium<sup>™</sup> CPU

21.5in Medical Cart Computer with capacitive touch LCD, Intel<sup>®</sup> 10th Gen Pentium™ processor, medical grade AC/DC adapter.





ekturin (iji)		HDD	<u>[ 00000000</u> ]	WARRANTY	
Part Number	Operating System	Storage	RAM	Standard Warranty	Extended Warranty*
MT500-22T-582TP0-X- <b>495</b>	Specify when ordering	256GB	8GB	12 months	60 months
MT500-22T-582TP0-X- <b>595</b>	Specify when ordering	256GB	16GB	12 months	60 months
MT500-22T-582TP0-X- <b>5A5</b>	Specify when ordering	512GB	16GB	12 months	60 months

\*Extended Warranty available as a cost option, please enquire for prices at time of order: Extended Warranty must be ordered at time of purchase. Extended Warranty is a 48 month extension on top of the standard 12 months offered, to provide 60 months from date of first purchase.

#### MT500-22T - i5 PROCESSOR - STORAGE AND MEMORY CHOICE

#### Choose your performance spec based around the powerful Intel<sup>®</sup> i5 Core<sup>™</sup> central processing unit.

Delivered ready to switch on, each Freeway Med-Tech AIO monitor/PC is pre-installed with an OS ready to enter your license details.

A standard warranty of 12 months from date of purchase covers any faulty components or workmanship with the option to extend this by an extra 48 months to 5 years in total from date of purchase.



Please quote the correct part number opposite /!\ when ordering as all units are custom built.

## CINE IS

#### MT500-22T with Intel<sup>®</sup> i5 Core<sup>™</sup> CPU

21.5in Medical Cart Computer with capacitive

medical grade AC/DC adapter.

(intel) **CORE i5** 

**10TH GEN** 

Part Number

touch LCD, Intel<sup>®</sup> 10th Gen i5 Core<sup>™</sup> processor, MT500-22T-582T50-X-4

MT500-22T-582T50-X-5

#### MT500-22T-582T50-X-5

\*Extended Warranty available as a cost option, please enquire for prices at time of order. Extended Warranty must be ordered at time of purchase. Extended Warranty is a 48 month extension on top of the standard 12 months offered to provide 60 months from date of first purchase



		HDD	<u>[]]]]]</u>	WARRANTY	WARRANTY
	Operating System	Storage	RAM	Standard Warranty	Extended Warranty*
195	Specify when ordering	256GB	8GB	12 months	60 months
95	Specify when ordering	256GB	16GB	12 months	60 months
A5	Specify when ordering	512GB	16GB	12 months	60 months

#### Choose your performance spec based around the powerful Intel<sup>®</sup> i7 Core<sup>™</sup> central processing unit.

Delivered ready to switch on, each Freeway Med-Tech AIO monitor/PC is pre-installed with an OS ready to enter your license details.

A standard warranty of 12 months from date of purchase covers any faulty components or workmanship with the option to extend this by an extra 48 months to 5 years in total from date of purchase.

Please quote the correct part number opposite when ordering as all units are custom built.

#### MT500-22T with Intel<sup>®</sup> i7 Core<sup>™</sup> CPU

21.5in Medical Cart Computer with capacitive touch LCD, Intel<sup>®</sup> 10th Gen i7 Core™ processor, medical grade AC/DC adapter. Supplied with 3 x MT202 Batteries.





() Def (7 Def (7		HDD	[00000000]	WAARANTY WAARANTY	WARRANTY WARRANTY
Part Number	Operating System	Storage	RAM	Standard Warranty	Extended Warranty*
MT500-22T-582T70-X- <b>495</b>	Specify when ordering	256GB	8GB	12 months	60 months
MT500-22T-582T70-X- <b>595</b>	Specify when ordering	256GB	16GB	12 months	60 months
MT500-22T-582T70-X-5A5	Specify when ordering	512GB	16GB	12 months	60 months

\*Extended Warranty available as a cost option, please enquire for prices at time of order. Extended Warranty must be ordered at time of purchase. Extended Warranty is a 48 month extension on top of the standard 12 months offered, to provide 60 months from date of first purchase.

### MT500-22T - i9 PROCESSOR - STORAGE AND MEMORY CHOICE

#### Choose your performance spec based around the powerful Intel<sup>®</sup> i9 Core<sup>™</sup> central processing unit.

Delivered ready to switch on, each Freeway Med-Tech AIO monitor/PC is pre-installed with an OS ready to enter your license details.

A standard warranty of 12 months from date of purchase covers any faulty components or workmanship with the option to extend this by an extra 48 months to 5 years in total from date of purchase.

Windows 10 FREEWAY :

Please quote the correct part number opposite /!\ when ordering as all units are custom built.

## CINE IS

#### MT500-22T with Intel<sup>®</sup> i9 Core<sup>™</sup> CPU

21.5in Medical Cart Computer with capacitive

MT202 Batteries.

(intel)

**CORE i9** 

**10TH GEN** 

touch LCD, Intel<sup>®</sup> 10th Gen i9 Core<sup>™</sup> processor, medical grade AC/DC adapter. Supplied with 3 x Part Number

MT500-22T-582T90-X-4

#### MT500-22T-582T90-X-5

#### MT500-22T-582T90-X-5

\*Extended Warranty available as a cost option, please enquire for prices at time of order: Extended Warranty must be ordered at time of purchase. Extended Warranty is a 48 month extension on top of the standard 12 months offered to provide 60 months from date of first purchase





		HDD	<u>[0000000]</u>	WARRANTY	WARRANTY
	Operating System	Storage	RAM	Standard Warranty	Extended Warranty*
195	Specify when ordering	256GB	8GB	12 months	60 months
95	Specify when ordering	256GB	16GB	12 months	60 months
A5	Specify when ordering	512GB	16GB	12 months	60 months







## BATTERY POWERED / 20IN



#### MT500-20T - AIO BATTERY POWERED 20IN MEDICAL PC

#### MT500-20T - AIO BATTERY POWERED 20IN MEDICAL PC

NHS NHS Supply Chain



#### STATE-OF-THE-ART TOUCH SCREEN





#### Charge up to 6 Li-ion battery packs simultaneously!

CHARGER DOCK (available separately)


#### PRODUCT CODE MT500-20T Battery powered 20in AIO touch screen medical grade monitor/PC

The Freeway Med-Tech MT500-20T Battery Powered All-In-One Monitor/PC offers fully mobile computing with its powerful, hot-swappable rechargeable battery packs. Options for 1 or 2 Lithium-ion batteries allow for either an emergency power back up, or totally wire-free operation. Also features a handy built-in reading light.

#### DIMENSIONS

Height = 295mm Width = 480mm Depth = 40.6mm

#### PRODUCT ELEVATIONS



#### KEY FEATURES

- · Uses up to 2 Lithium-ion batteries for a full shift of mobile operation
- No need to be near mains power
- Intel Core-i5 and Core-i7 processors
- Runs Microsoft® Windows® / Linux / Igel
- High contrast 20" capacitive-type touch screen
- Slim fanless design
- UL60601 certified with anti-microbial enclosure
- Withstands common medical environment cleaning chemicals\*

#### FRONT

look different to production models.





REAR



34 FREEWAY MED-TECH - MONITORS AND ALL-IN-ONE PCS

Uses up to 2 Li-ion batteries



100x100 VESA mounting





#### Water resistant enclosures

The screen and rear enclosure are IP rated against dust and moisture ingress, ensuring easy cleaning and disinfection\*.

\*See pages 194/5 for detailed information on cleaning chemicals and procedures.



#### Choice of processor

Modern Intel<sup>®</sup> Core-i7/9 range of processors to choose from.



#### Battery status made easy

Front facing LED battery indicators offer feedback on the health of each battery.

### MT500-20T - AIO BATTERY POWERED 20IN MEDICAL PC



Easily hot-swap battery packs in a matter of seconds




Clear battery status LEDs



Anti-microbial enclosure resists bacteria transmission



Choice of processors from the 10th generation Intel Core i range!



A choice of 6 to 8 cores of Intel<sup>®</sup> processing power.



Industry standard OS for medical software and systems.

#### TECHNICAL SPECIFICATIONS

System		
CPU	Intel <sup>®</sup> Core <sup>™</sup> i5-10500T, 2.3 GHz (up to 3.8GHz) - <b>6 core</b> Intel <sup>®</sup> Core <sup>™</sup> i7-10700T, 2.0 GHz (up to 4.5GHz) - <b>8 core</b>	intel.
RAM	8GB to 32GB	
Storage	64Gb to 2TB Flash (mPCle NVMe type SSD)	
Operating System	Microsoft® Windows®/Linux/Igel - specify pre-install if required	
Display	19.5in capacitive touch screen	
Display resolution	1920×1080	
Trusted platform module	TPM 2.0	
Reading light	LED reading light x I	
Microphone and speaker	Built-in microphones and speaker	
Network Interface		
WLAN	Ethernet 10/100/1000 MB Base-T LAN; Wi-Fi 802.11ax, 2.4GHz/5GHz dual band	
Bluetooth	Bluetooth 5.1	
I/O Ports		
USB Ports	USB 3.0 x 4 and USB 2.0 x 2	
COM Port	2	
HDMI-out (1.4a)	1	
Audio Jack	1	
Ethernet	RJ45 connector for ethernet × I	
DC-in	1	
DC-out (optional)	N/A	

#### Faster processors than our competitors!

Our Intel<sup>®</sup> Core i5 CPU is effectively 30% faster in real-world benchmark tests.

*Shorter bars are better			- 26
Our Competitors' i5 CPU		Competitors' CPU	Med-Tech CPU
Freeway Med-Tech's i5 CPU	~	Length Hilling	and the second sec
		SPEED RANIC 522nd / 1386	STEED RANK: 206" / 1385



Mechanical/Environmental	
Fan/Fanless	Fanless
AC/DC Adaptor	Input: 100 – 240V AC; Output: 19V DC, 6.31A
Battery Pack	MT202 Li-ion battery; 90Wh, 8250mAh x 2 (optional)
Enclosure	ABS + PC plastics, anti-microbial enclosure
Dimensions $(H \times W \times D)$	295 x 480 x 40.6 mm
Weight	4.72kg (without battery) - 5.72kg (with 2 batteries)
VESA-compliant mounting	100mm × 100mm VESA standard
Water Resistance	Front panel: IP65; Enclosure: IPX2
Regulatory	ANSI/AAMI ES60601-1, IEC60601-1, IEC60601-1-2, FCC Part 18, FCC Part 15 Class B, GB 17625.1, GB 4943.1, GB/T 9254, CE-EMC, CE-RED, RCM, CCC
Major options	
Camera	5 megapixel front camera
NFC/RFID reader	N/A
Smart Card/CAC Reader	Full-slot, reads ISO 7816T=0,T=1; 1.8/3/5V smart card









#### MT500-20T ACCESSORIES (available separately)



MT202 Li-ion battery pack



MT202 6-gang battery charger

## MT500-20T - i5 PROCESSOR - STORAGE AND MEMORY CHOICE

#### Choose your performance spec based around the Intel<sup>®</sup> Pentium<sup>™</sup> central processing unit.

Delivered ready to switch on, each Freeway Med-Tech AIO monitor/PC is pre-installed with an OS ready to enter your license details.

A standard warranty of 12 months from date of purchase covers any faulty components or workmanship with the option to extend this by an extra 48 months to 5 years in total from date of purchase.

# Please quote the correct part number opposite when ordering as all units are custom built.

#### MT500-20T with Intel<sup>®</sup> Pentium<sup>™</sup> CPU

19.5in Medical Cart Computer with capacitive touch LCD, Intel<sup>®</sup> 10th Gen Pentium™ processor, medical grade AC/DC adapter.





alford in		HDD		WMARAANTY	
Part Number	Operating System	Storage	RAM	Standard Warranty	Extended Warranty*
MT500-20T-581TP0-X- <b>495</b>	Specify when ordering	256GB	8GB	12 months	60 months
MT500-20T-581TP0-X- <b>595</b>	Specify when ordering	256GB	16GB	12 months	60 months
MT500-20T-581TP0-X- <b>5A5</b>	Specify when ordering	512GB	16GB	12 months	60 months

\*Extended Warranty available as a cost option, please enquire for prices at time of order. Extended Warranty must be ordered at time of purchase. Extended Warranty is a 48 month extension on top of the standard 12 months offered, to provide 60 months from date of first purchase.

#### Choose your performance spec based around the powerful Intel<sup>®</sup> i5 Core<sup>™</sup> central processing unit.

Delivered ready to switch on, each Freeway Med-Tech AIO monitor/PC is pre-installed with an OS ready to enter your license details.

A standard warranty of 12 months from date of purchase covers any faulty components or workmanship with the option to extend this by an extra 48 months to 5 years in total from date of purchase. Windows 11

Please quote the correct part number opposite when ordering as all units are custom built.

## CINE IS

#### MT500-20T with Intel<sup>®</sup> i5 Core<sup>™</sup> CPU

19.5in Medical Cart Computer with capacitive

medical grade AC/DC adapter.

(intel)

**CORE i5** 

**10TH GEN** 

touch LCD, Intel<sup>®</sup> 10th Gen i5 Core<sup>™</sup> processor,

Part Number

MT500-20T-581T50-X-4

MT500-20T-581T50-X-5

#### MT500-20T-581T50-X-5

\*Extended Warranty available as a cost option, please enquire for prices at time of order. Extended Warranty must be ordered at time of purchase. Extended Warranty is a 48 month extension on top of the standard 12 months offered, to provide 60 months from date of first purchase.





		HDD	<u>[]]]]]</u>	WARRANTY	WARRANTY
	Operating System	Storage	RAM	Standard Warranty	Extended Warranty*
195	Specify when ordering	256GB	8GB	12 months	60 months
95	Specify when ordering	256GB	16GB	12 months	60 months
A5	Specify when ordering	512GB	16GB	12 months	60 months

#### Choose your performance spec based around the powerful Intel<sup>®</sup> i7 Core<sup>™</sup> central processing unit.

Delivered ready to switch on, each Freeway Med-Tech AIO monitor/PC is pre-installed with an OS ready to enter your license details.

A standard warranty of 12 months from date of purchase covers any faulty components or workmanship with the option to extend this by an extra 48 months to 5 years in total from date of purchase.

Please quote the correct part number opposite when ordering as all units are custom built.

#### MT500-20T with Intel<sup>®</sup> i7 Core<sup>™</sup> CPU

19.5in Medical Cart Computer with capacitive touch LCD, Intel® 10th Gen i7 Core™ processor, medical grade AC/DC adapter. Supplied with 2 x MT202 Batteries.





cer) DHT7 Stor		HDD	<u>  00000000</u>	WAARAANTY	
Part Number	Operating System	Storage	RAM	Standard Warranty	Extended Warranty*
MT500-20T-581T70-X <b>-495</b>	Specify when ordering	256GB	8GB	12 months	60 months
MT500-20T-581T70-X- <b>595</b>	Specify when ordering	256GB	16GB	12 months	60 months
MT500-20T-581T70-X- <b>5A5</b>	Specify when ordering	512GB	16GB	12 months	60 months

\*Extended Warranty available as a cost option, please enquire for prices at time of order. Extended Warranty must be ordered at time of purchase. Extended Warranty is a 48 month extension on top of the standard 12 months offered, to provide 60 months from date of first purchase.



Ron Jones						
ummary Timeline	Profile Re	suits report X				
Smith 🗢 Omiter	552789437 ~					_
	Order #: Accession #:	552789437 552789437	Collection Date: Received Date:	2/15/2016 8:11 a.m. 2/18/2016 7:05 a.m.	Assachments;	
(				DATE/STATUS		148
	RESULT	REFERENCE			100.000	
rai - Girect	😑 121 mg/dL	<130 mg/dL mg/dL		10/12/2015 0	8:09 am 🔛 🛃	ON
						-
	210 mgrdL	<200 mg/dL mg/dL		10/12/2015 08	:09 am 🔛 🚰	CIN
	RESULT	HEFERINCE <<5.6 %		DATESTATUS 10/12/2015 16	45 pm 🔟 🕅	
AC PANEL						
	ASSULT	REFERENCE		DATE/STATUS		PHR
	1.5 mg/dL	0.6-1.1 mg/dL		10/12/2015 16	45 pm 🛄 🛃	CN ON
						-
	e 141 mg/dL	70-99 mg/dL		10/12/2015 18	45 pm 🖾 🗐	
					10 TO 10 BUD	ON
	4.1 mmoirt.	3.5-5.1 mmp0);		10/12/2015 18	45 pm 🛄 🔛	
	0 133 mmold	130.140 minute			A	-
		FREEW	AY			



No. Inc.





l	



## MAINS POWERED / 24IN



#### MT400-24T - AIO MAINS POWERED 24IN MEDICAL PC

#### MT400-24T - AIO MAINS POWERED 24IN MEDICAL PC



Address Res Jones	-							0	i
Ron Jones									
Sunnay Titalite	mole f	Results report ×					Result	**	
waster John Smith 🗸 0000	952799437	-					-		
Laboratory	order # Accession #	552780437 552780437	Collector Date Approved Date	2/15/2016 8:11 a.m. 2/18/2016 7:05 a.m.	Acutreta		Doe to		
LDA Chalesterts				DATE STATUS		-	SIGNED		
and the second se	NINAT	MITERING		1912/2015/081	10 an 12 E			1.1	
Total LOL Cholestern/ - Direct	@ \$21 mg/4.	<130 erg/sti mg/sti				-			
	er znd mg/dt.	-200 mgrdt mgrdt		10/12/2015 DR/0	Fairs CD Ed				
stind Zotal Ordentertd	About 1 get						-200 ST	-	
				panymatus			SCMD	0	
HEATC	REDAT	REPERSION		10/12/2015 10:4	HE ma			1.1	
OBSERVATION	052%	~5.5 %		ARC# 0003035					
HEATC	Abbangt	ACTOR.					Stawlin	a desarta	
the second second second				6475/STATUS		-	5040		and the second
COMP. METABOLIC PANEL	REAT	ALIVERDACI		1012/2015 16:4	igen III 🗄	<b>60</b>			100
OBSERVATION	@15.ng/6	0.6-1.1 mg/dl.			-				and the second s
Creations	Abovit "Ight	79-19 mp.0.		10/12/2015 18 4	Spen Salk Bill	1.04			1
Guidese	a tat mgidt			1012/2015 18.4	San III	-			8
	Atomota				ert 212	-			
Potastilum		Ind. And second	-	Contraction of the second second					
Solar.					-				
		FREEV					+ 0		

#### STATE-OF-THE-ART TOUCH SCREEN



# 10-point multi touch capacitive



MAINS POWERED (iWOW required to be plugged-in)

#### PRODUCT CODE MT400-24T Mains powered 24in AIO touch screen medical grade PC


The Freeway Med-Tech MT400-24T Mains Powered All-In-One Monitor/PC offers the same technical specification and features as our battery powered AIO model, just with the need for a permanent 240V mains supply. For use where an iWOW will be predominately used in a fixed location.

#### DIMENSIONS

Front

Height = 370.9mm Width = 564.4mm Depth = 41.2mm

#### PRODUCT ELEVATIONS



KEY FEATURES

- Intel Core-i5/7/9 processors
- Runs Microsoft® Windows® / Linux / Igel
- High contrast 24" capacitive-type touch screen
- Slim fanless design
- UL60601 certified with anti-microbial enclosure
- Withstands common medical environment cleaning chemicals\*

#### FRONT





REAR







100x100 VESA mounting



#### Water resistant enclosures

The screen and rear enclosure are IP rated against dust and moisture ingress, ensuring easy cleaning and disinfection\*.

\*See pages 194/5 for detailed information on cleaning chemicals and procedures.



#### Choice of processor

Modern Intel Core-i5/7/9 range of processors to choose from.



#### Mains powered

Requires a permanent 240V mains outlet for use.





Anti-microbial enclosure resists bacteria transmission



Built-in speakers and clear easy-to-use function buttons located on the underside of the monitor

A choice of 6 to 10 cores of Intel processing power:



Moisture resistant medical-grade front panel



Windows OS IoT Enterprise version available for pre-install with or without license. Linux/Igel operating systems can also be installed.

Industry standard OS for medical software and systems.

#### TECHNICAL SPECIFICATIONS

System		
CPU	Intel <sup>®</sup> Core <sup>™</sup> i5-10500T, 2.3 GHz (up to 3.8GHz) - <b>6 core</b> Intel <sup>®</sup> Core <sup>™</sup> i7-10700T, 2.0 GHz (up to 4.5GHz) - <b>8 core</b> Intel <sup>®</sup> Core <sup>™</sup> i9-10900T, 1.9 GHz (up to 4.6GHz) - <b>10 core</b>	intel
RAM	8GB to 64GB	
Storage	256Gb to 4TB Flash (mPCle NVMe type SSD)	
Operating System	Microsoft® Windows®/Linux/Igel - specify pre-install if required	
Display	23.8in capacitive touch screen	
Display resolution	1920×1080	
Trusted platform module	TPM 2.0	
Battery Pack	Optional integrated UPS battery x 1	
Buttons	I power and 4 programmable buttons	
Microphone and speaker	Built-in microphones and speaker	
Network Interface		
WLAN	Wi-Fi 802.1 lax, 2.4GHz/5GHz dual band	
Bluetooth	Bluetooth 5.1 LE	
I/O Ports		
USB Ports	USB 3.0 × 4 (ESD protection: ±17KV by air; ±12KV by contact) USB 2.0 × 2 (ESD protection: ±18KV by air; ±12KV by contact)	
COM Port	3	
HDMI-out (1.4a)	I (ESD protection: ±17KV by air, ±12KV by contact)	
Audio Jack	1	
Ethernet	RJ45 connector $\times$ 2 (ESD protection: $\pm 30 \text{KV}$ by air, $\pm 30 \text{KV}$ by contact)	
DC-in	1	
Potential Equalization Conductor	I (optional)	




Mechanical/Environmental	
Fan/Fanless	Fanless
AC/DC Adaptor	Input: 100 – 240V AC; Output: 19V DC, 6.31A
Enclosure	Aluminum alloy, antimicrobial enclosure
Dimensions $(H \times W \times D)$	370.9 x 564.4 x 41.2mm
Weight	8kg
VESA-compliant mounting	100mm × 100mm VESA standard
Water Resistance	Front panel: IP65; Enclosure: IPX2
Regulatory	ANSI/AAMI ES60601-1, IEC60601-1, IEC60601-1-2, FCC Part 18, FCC Part 15 Class B, GB 17625.1, GB 4943.1, GB/T 9254, CE-EMC, CE-RED, Energy Star 8.0, RCM, CCC
Major options	
Camera	Full-HD front camera
NFC/RFID reader	HF 13.56MHz, ISO standard 15693, 14443A(B) & 18000-3 mode-1, or dual frequency, reads both 125KHz and 13.56MHz credentials
Smart Card/CAC Reader	Full-slot, reads ISO 7816T=0,T=1; 1.8/3/5V smart card











#### Faster processors than our competitors!

Our Intel® Core i5 CPU is effectively 30% faster in real-world benchmark tests.



#### Choose your performance spec based around the Intel<sup>®</sup> Pentium<sup>™</sup> central processing unit.

Delivered ready to switch on, each Freeway Med-Tech AIO monitor/PC is pre-installed with an OS ready to enter your license details.

A standard warranty of 12 months from date of purchase covers any faulty components or workmanship with the option to extend this by an extra 48 months to 5 years in total from date of purchase.

Please quote the correct part number opposite when ordering as all units are custom built.

#### MT400-24T with Intel<sup>®</sup> Pentium<sup>™</sup> CPU

23.6in Medical Cart Computer with capacitive touch LCD, Intel<sup>®</sup> 10th Gen Pentium™ processor, medical grade AC/DC adapter.





(titul) PENTELM		HDD	<u>{ </u>	WARRANTY	
Part Number	Operating System	Storage	RAM	Standard Warranty	Extended Warranty*
MT400-24T-504TP-X- <b>C495</b>	Specify when ordering	256GB	8GB	12 months	60 months
MT400-24T-504TP-X- <b>C595</b>	Specify when ordering	256GB	16GB	12 months	60 months
MT400-24T-504TP-X- <b>C5A5</b>	Specify when ordering	512GB	16GB	12 months	60 months

- -

\*Extended Warranty available as a cost option, please enquire for prices at time of order: Extended Warranty must be ordered at time of purchase. Extended Warranty is a 48 month extension on top of the standard 12 months offered, to provide 60 months from date of first purchase.

#### MT400-24T - i5 PROCESSOR - STORAGE AND MEMORY CHOICE

#### Choose your performance spec based around the powerful Intel<sup>®</sup> i5 Core<sup>™</sup> central processing unit.

Delivered ready to switch on, each Freeway Med-Tech AIO monitor/PC is pre-installed with an OS ready to enter your license details.

A standard warranty of 12 months from date of purchase covers any faulty components or workmanship with the option to extend this by an extra 48 months to 5 years in total from date of purchase.



Please quote the correct part number opposite /!\ when ordering as all units are custom built.

## CINE IS

#### MT400-24T with Intel<sup>®</sup> i5 Core<sup>™</sup> CPU

23.6in Medical Cart Computer with capacitive

medical grade AC/DC adapter.

(intel)

**CORE i5** 

**10TH GEN** 

touch LCD, Intel<sup>®</sup> 10th Gen i5 Core<sup>™</sup> processor,

Part Number

MT400-24T-504T5-X-C4

#### MT400-24T-504T5-X-C5

#### MT400-24T-504T5-X-C5

\*Extended Warranty available as a cost option, please enquire for prices at time of order. Extended Warranty must be ordered at time of purchase. Extended Warranty is a 48 month extension on top of the standard 12 months offered to provide 60 months from date of first purchase.



		HDD	<u>[]]]]]</u>	WARRANTY	WARRANTY
	Operating System	Storage	RAM	Standard Warranty	Extended Warranty*
495	Specify when ordering	256GB	8GB	12 months	60 months
595	Specify when ordering	256GB	16GB	12 months	60 months
5A5	Specify when ordering	512GB	16GB	12 months	60 months

#### Choose your performance spec based around the powerful Intel<sup>®</sup> i7 Core<sup>™</sup> central processing unit.

Delivered ready to switch on, each Freeway Med-Tech AIO monitor/PC is pre-installed with an OS ready to enter your license details.

A standard warranty of 12 months from date of purchase covers any faulty components or workmanship with the option to extend this by an extra 48 months to 5 years in total from date of purchase.

Please quote the correct part number opposite when ordering as all units are custom built.

#### MT400-24T with Intel<sup>®</sup> i7 Core<sup>™</sup> CPU

23.6in Medical Cart Computer with capacitive touch LCD, Intel<sup>®</sup> 10th Gen i7 Core™ processor, medical grade AC/DC adapter.





CONTRACT OF CONTRACT.		HDD	<u>{ 000000000 }</u>		
Part Number	Operating System	Storage	RAM	Standard Warranty	Extended Warranty*
MT400-24T-504T7-X- <b>C495</b>	Specify when ordering	256GB	8GB	12 months	60 months
MT400-24T-504T7-X- <b>C595</b>	Specify when ordering	256GB	16GB	12 months	60 months
MT400-24T-504T7-X- <b>C5A5</b>	Specify when ordering	512GB	16GB	12 months	60 months

\*Extended Warranty available as a cost option, please enquire for prices at time of order: Extended Warranty must be ordered at time of purchase. Extended Warranty is a 48 month extension on top of the standard 12 months offered, to provide 60 months from date of first purchase.

### MT400-24T - 19 PROCESSOR - STORAGE AND MEMORY CHOICE

#### Choose your performance spec based around the powerful Intel<sup>®</sup> i9 Core<sup>™</sup> central processing unit.

Delivered ready to switch on, each Freeway Med-Tech AIO monitor/PC is pre-installed with an OS ready to enter your license details.

A standard warranty of 12 months from date of purchase covers any faulty components or workmanship with the option to extend this by an extra 48 months to 5 years in total from date of purchase.

Windows 10 FREEWAY :

Please quote the correct part number opposite /!\ when ordering as all units are custom built.

## CINE II

#### MT400-24T with Intel<sup>®</sup> i9 Core<sup>™</sup> CPU

23.6in Medical Cart Computer with capacitive

medical grade AC/DC adapter.

(intel)

**CORE i9** 

**10TH GEN** 

touch LCD, Intel<sup>®</sup> 10th Gen i9 Core<sup>™</sup> processor,

Part Number

MT400-24T-504T9-X-C4

#### MT400-24T-504T9-X-C5

#### MT400-24T-504T9-X-C5

\*Extended Warranty available as a cost option, please enquire for prices at time of order. Extended Warranty must be ordered at time of purchase. Extended Warranty is a 48 month extension on top of the standard 12 months offered to provide 60 months from date of first purchase.





		HDD	<u>[]]]]]</u>	WARRANTY	WARRANTY
	Operating System	Storage	RAM	Standard Warranty	Extended Warranty*
495	Specify when ordering	256GB	8GB	12 months	60 months
595	Specify when ordering	256GB	16GB	12 months	60 months
5A5	Specify when ordering	512GB	16GB	12 months	60 months



# **MEDICAL AIO**



# MAINS POWERED / 27IN



#### MT400-27T - AIO MAINS POWERED 27IN MEDICAL PC

#### MT400-27T - AIO MAINS POWERED 27IN MEDICAL PC



Reaction Reaction		10						0	
Ron Jones									
Sunney Timeline	mothe	Results report ×					Rent	ta /	
manters John Smith 🖌 0000	952799437	-				_			
Laboratory	Order # Accession #	552789457 552789437	Column Care Automet Care	2/15/2016 8:11 a.m. 2/18/2016 7:05 a.m.	Apatreets		Dian of 2	-	
LDL Chalesterts				CATEGRATIAT		**	SIGNED		
and a second state of the	NEGAT	ALTERINCE			800 m 🖾 🖽			1	
tetal LDL Cholesterol - Direct	@ \$21 mg/8.	<130 eighti mgifti							
	a 210 mg/dL	age regist right		10/12/2015 D	109 ans 🖾 🗐	10			
SUSS Zotal Ordenstand	About 18th						-20x 9	-	
				outurtand.			SCMD	0	
HEATC	REPAT	REPORTNOL			Notes and			1.0	
Cestmation	082%	~5.5%		1903-000					
HEATC	Abbartigh	1000						st Broch	
				6475/STATUS		-	5040		
COMP. METABOLIC PANEL	TAKER	ADMENDACI		1012/2015 1	saspen 🖾 🖽	64 04			100
<b>DESERVATION</b>	015 mp/6	0.6-1.1 mg/dL			-				and the second s
Greatinine	About tight	With rest.		101220151	Lispen 🐺 🗄	1.04			2
GLUCON	a 141 mg/dL			10/12/2015 1	ason III	-			
	A1 mmpiA	11000		the second of		-	-		
Potestium	and and and a state	and wat separate						-	
87	A 111 COLOR				-		+ 0		

#### STATE-OF-THE-ART TOUCH SCREEN



# SCREEN MAINS POWERED (iWOW required to be plugged-in)




#### PRODUCT CODE MT400-27T Mains powered 27in AIO touch screen medical grade PC

The Freeway Med-Tech MT400-27T Mains Powered All-In-One Monitor/PC offers the same technical specification and features as our battery powered AlO model, just with the need for a permanent 240V mains supply. For use where an IWOW will be predominately used in a fixed location.

#### DIMENSIONS

Height = 411.8mm Width = 639.1mm Depth = 45mm

#### PRODUCT ELEVATIONS



KEY FEATURES

- Intel Core-i5/7/9 processors
- Runs Microsoft® Windows® / Linux / Igel
- High contrast 27" capacitive-type touch screen
- Slim fanless design
- · UL60601 certified with anti-microbial enclosure
- Withstands common medical environment cleaning chemicals<sup>\*</sup>

#### FRONT








RFAR

COMPREHENSIVE I/O<sup>†</sup> HDMI Ethernet DC-IN USB 3.0 USB 2.0 USB 2





100x100 VESA mounting



Stereo speaker



#### Water resistant enclosures

The screen and rear enclosure are IP rated against dust and moisture ingress, ensuring easy cleaning and disinfection<sup>\*</sup>.

\*See pages 194/5 for detailed information on cleaning chemicals and procedures.



#### Choice of processor

Modern Intel Core-i5/7/9 range of processors to choose from.




## Mains powered

Requires a permanent 240V mains outlet for use.





Anti-microbial enclosure resists bacteria transmission



Built-in speakers and clear easy-to-use function buttons located on the underside of the monitor

intel



10th generation Intel Core i range!

CORE 19 CORE 17

Choice of processors from the

intel

A choice of 6 to 10 cores of Intel processing power:

(intel

CORE i5



Industry standard OS for medical software and systems.

#### TECHNICAL SPECIFICATIONS

System		
CPU	Intel <sup>®</sup> Core <sup>™</sup> i5-10500T, 2.3 GHz (up to 3.8GHz) - <b>6 core</b> Intel <sup>®</sup> Core <sup>™</sup> i7-10700T, 2.0 GHz (up to 4.5GHz) - <b>8 core</b> Intel <sup>®</sup> Core <sup>™</sup> i9-10900T, 1.9 GHz (up to 4.6GHz) - <b>10 core</b>	intel
RAM	8GB to 64GB	
Storage	256Gb to 4TB Flash (mPCle NVMe type SSD)	
Operating System	Microsoft® Windows®/Linux/Igel - specify pre-install if required	
Display	27in capacitive touch screen	
Display resolution	1920×1080 (optional 3840×2160)	
Trusted platform module	TPM 2.0	
Battery Pack	Optional integrated UPS battery x 1	
Buttons	I power and 4 programmable buttons	
Microphone and speaker	Built-in microphones and speaker	
Network Interface		
WLAN	Wi-Fi 802.11ax, 2.4GHz/5GHz dual band	
Bluetooth	Bluetooth 5.1 LE	
I/O Ports		
USB Ports	USB 3.0 x 4 (ESD protection: $\pm 17$ KV by air, $\pm 12$ KV by contact) USB 2.0 x 2 (ESD protection: $\pm 18$ KV by air, $\pm 12$ KV by contact)	
COM Port	3	
HDMI-out (1.4a)	1 (ESD protection: $\pm 17$ KV by air, $\pm 12$ KV by contact)	
Audio Jack	1	
Ethernet	RJ45 connector x 2 (ESD protection: $\pm$ 30KV by air, $\pm$ 30KV by contact)	
DC-in	1	
Potential Equalization Conductor	l (optional)	

Moisture resistant medical-grade front panel




Mechanical/Environmental	
Fan/Fanless	Fanless
AC/DC Adaptor	Input: 100 – 240V AC; Output: 19V DC, 6.31A
Enclosure	Aluminum alloy, antimicrobial enclosure
Dimensions $(H \times W \times D)$	411.8 x 639.1 x 45mm
Weight	10.5kg
VESA-compliant mounting	100mm × 100mm VESA standard
Water Resistance	Front panel: IP65; Enclosure: IPX2
Regulatory	ANSI/AAMI ES60601-1, IEC60601-1, IEC60601-1-2, FCC Part 18, FCC Part 15 Class B, GB 17625.1, GB 4943.1, GB/T 9254, CE-EMC, CE-RED, Energy Star 8.0, RCM, CCC
Major options	
Camera	Full-HD front camera
NFC/RFID reader	HF 13.56MHz, ISO standard 15693, 14443A(B) & 18000-3 mode-1, or dual frequency, reads both 125KHz and 13.56MHz credentials
Smart Card/CAC Reader	Full-slot, reads ISO 7816T=0,T=1; 1.8/3/5V smart card











#### Faster processors than our competitors!

Our Intel® Core i5 CPU is effectively 30% faster in real-world benchmark tests.



#### Choose your performance spec based around the Intel<sup>®</sup> Pentium<sup>™</sup> central processing unit.

Delivered ready to switch on, each Freeway Med-Tech AIO monitor/PC is pre-installed with an OS ready to enter your license details.

A standard warranty of 12 months from date of purchase covers any faulty components or workmanship with the option to extend this by an extra 48 months to 5 years in total from date of purchase.

Please quote the correct part number opposite when ordering as all units are custom built.

#### MT400-27T with Intel<sup>®</sup> Pentium<sup>™</sup> CPU

27in Medical Cart Computer with capacitive touch LCD, Intel<sup>®</sup> 10th Gen Pentium™ processor, medical grade AC/DC adapter.





NECLER R		HDD	<u>{     00000000</u> }	WARRANTY	WARRANTY WARRANTY
Part Number	Operating System	Storage	RAM	Standard Warranty	Extended Warranty*
MT400-27T-507TP-X- <b>C495</b>	Specify when ordering	256GB	8GB	12 months	60 months
MT400-27T-507TP-X- <b>C595</b>	Specify when ordering	256GB	16GB	12 months	60 months
MT400-27T-507TP-X- <b>C5A5</b>	Specify when ordering	512GB	16GB	12 months	60 months

\*Extended Warranty available as a cost option, please enquire for prices at time of order: Extended Warranty must be ordered at time of purchase. Extended Warranty is a 48 month extension on top of the standard 12 months offered, to provide 60 months from date of first purchase.

#### MT400-27T - i5 PROCESSOR - STORAGE AND MEMORY CHOICE

#### Choose your performance spec based around the powerful Intel<sup>®</sup> i5 Core<sup>™</sup> central processing unit.

Delivered ready to switch on, each Freeway Med-Tech AIO monitor/PC is pre-installed with an OS ready to enter your license details.

A standard warranty of 12 months from date of purchase covers any faulty components or workmanship with the option to extend this by an extra 48 months to 5 years in total from date of purchase.

Please quote the correct part number opposite /!\ when ordering as all units are custom built.

## CINE IS

#### MT400-27T with Intel<sup>®</sup> i5 Core<sup>™</sup> CPU

27in Medical Cart Computer with capacitive touch

LCD, Intel<sup>®</sup> 10th Gen i5 Core<sup>™</sup> processor, medical

grade AC/DC adapter.

(intel)

**CORE i5** 

**10TH GEN** 

Part Number

MT400-27T-507T5-X-C4

MT400-27T-507T5-X-C5

#### MT400-27T-507T5-X-C5

\*Extended Warranty available as a cost option, please enquire for prices at time of order. Extended Warranty must be ordered at time of purchase. Extended Warranty is a 48 month extension on top of the standard 12 months offered to provide 60 months from date of first purchase.





		HDD	<u>{ </u>	WARRANTY	
	Operating System	Storage	RAM	Standard Warranty	Extended Warranty*
495	Specify when ordering	256GB	8GB	12 months	60 months
595	Specify when ordering	256GB	16GB	12 months	60 months
5A5	Specify when ordering	512GB	16GB	12 months	60 months

#### Choose your performance spec based around the powerful Intel<sup>®</sup> i7 Core<sup>™</sup> central processing unit.

Delivered ready to switch on, each Freeway Med-Tech AIO monitor/PC is pre-installed with an OS ready to enter your license details.

A standard warranty of 12 months from date of purchase covers any faulty components or workmanship with the option to extend this by an extra 48 months to 5 years in total from date of purchase.

Please quote the correct part number opposite when ordering as all units are custom built.

#### MT400-27T with Intel<sup>®</sup> i7 Core<sup>™</sup> CPU

27in Medical Cart Computer with capacitive touch LCD, Intel<sup>®</sup> 10th Gen i7 Core™ processor, medical grade AC/DC adapter.





Cast 7		HDD	<u>{     00000000</u> }	WARRANTY	WARRANTY WARRANTY
Part Number	Operating System	Storage	RAM	Standard Warranty	Extended Warranty*
MT400-27T-507T7-X- <b>C495</b>	Specify when ordering	256GB	8GB	12 months	60 months
MT400-27T-507T7-X- <b>C595</b>	Specify when ordering	256GB	16GB	12 months	60 months
MT400-27T-507T7-X- <b>C5A5</b>	Specify when ordering	512GB	16GB	12 months	60 months

\*Extended Warranty available as a cost option, please enquire for prices at time of order. Extended Warranty must be ordered at time of purchase. Extended Warranty is a 48 month extension on top of the standard 12 months offered, to provide 60 months from date of first purchase.

#### Choose your performance spec based around the powerful Intel<sup>®</sup> i9 Core<sup>™</sup> central processing unit.

Delivered ready to switch on, each Freeway Med-Tech AIO monitor/PC is pre-installed with an OS ready to enter your license details.

A standard warranty of 12 months from date of purchase covers any faulty components or workmanship with the option to extend this by an extra 48 months to 5 years in total from date of purchase.

Please quote the correct part number opposite /!\ when ordering as all units are custom built.

## CINE II

#### MT400-27T with Intel<sup>®</sup> i9 Core<sup>™</sup> CPU

27in Medical Cart Computer with capacitive touch

LCD, Intel<sup>®</sup> 10th Gen i9 Core<sup>™</sup> processor, medical

grade AC/DC adapter.

(intel)

**CORE i9** 

**10TH GEN** 

Part Number

MT400-27T-507T9-X-C4

MT400-27T-507T9-X-C5

#### MT400-27T-507T9-X-C5

\*Extended Warranty available as a cost option, please enquire for prices at time of order. Extended Warranty must be ordered at time of purchase. Extended Warranty is a 48 month extension on top of the standard 12 months offered to provide 60 months from date of first purchase.





		HDD	<u>[]]]]</u>	WARRANTY	WARRANT	
	Operating System	Storage	RAM	Standard Warranty	Extended Warranty*	
495	Specify when ordering	256GB	8GB	12 months	60 months	
595	Specify when ordering	256GB	16GB	12 months	60 months	
5A5	Specify when ordering	512GB	16GB	12 months	60 months	



# **MEDICAL MONITOR**



## **BATTERY POWERED** / 24IN



The Freeway Med-Tech battery powered monitor will power a Dell MFF PC and/or peripheral devices!

No need for large expensive 'car battery' style power supplies.

3 x DC outs - 12, 15 & 19V The 3 different output voltages give flexibility to power up various popular add-on devices.

Example opposite shows use of the 12 & 19V DC outputs.



DC POWER OUTPUTS - MT700-24T

## FREEWAY Med-Tech

## But there's more....

Our unique industry-leading technology enables the PC CPU to run at 100% speed!

There's no throttling back of the CPU because it's running on battery power.







100% PROCESSING POWER



Savings over it's lifetime > See overleaf why the MT700 Monitor is so economical to own over the long run.

The MT700 Monitor offers low 'cost to entry' for mobile go-anywhere workstations as well as a lower lifecycle cost<sup>\*</sup>.

> Already have the PC hardware? By utilising an existing and suitable Dell MFF PC, the MT700 immediately offers mobile computing together with the benefit of being able to update the PC

at a later date relatively inexpensively compared with an AIO system!

Initial MT700 purchase


Year 0



Note - All batteries have a performance lifespan This is why we utilise the highest quality lithium cells from a brand leader and package them up into small individual 90Wh battery packs. The replacement and servicing cost for these smaller units is much lower than older large dedicated battery setups.









Example MT700-24T product lifecycle

Replace inexpensive battery packs

Year 2-3

\*Compared with all-in-one monitor/PCs and/or mobile

workstations using large dedicated battery systems.



## Med-Tech

### MT700-24T - BATTERY POWERED 24IN MEDICAL MONITOR





#### STATE-OF-THE-ART TOUCH SCREEN





Charge up to 6 Li-ion battery packs simultaneously!

CHARGER DOCK (available separately)

## MT700-24T Battery powered 24in touch screen medical grade monitor


The Freeway Med-Tech MT700-24T Battery Powered Monitor offers truely mobile computing for up to an entire shift due to the powerful, hot-swappable rechargeable battery packs. Available with either 1, 2 or 3 Lithiumion batteries, you choose whether you simply require emergency power back up, or a full shift of wire-free operation. Also features a handy built-in reading light.

#### DIMENSIONS

PRODUCT CODE

Height = 370.9mm Width = 564.4mm Depth = 41.2mm

#### PRODUCT ELEVATIONS



#### KEY FEATURES

- Uses up to 3 Lithium-ion batteries for a full shift of mobile operation
- No need to be near mains power
- DC outputs can power a standalone micro form PC and/or computer peripherals
- Only medical monitor to power a micro PC CPU at 100% speed!
- High contrast 24" capacitive-type touch screen
- Slim fanless design
- · UL60601 certified with anti-microbial enclosure
- Withstands common medical environment cleaning chemicals\*


#### MT700-24T - BATTERY POWERED 24IN MEDICAL MONITOR





REAR





Uses up to 3 Li-ion batteries



100x100 VESA mounting

USB touch screen connection

# **FREEWAY** ●●● Med-Tech●●●



#### Water resistant enclosures

The screen and rear enclosure are IP rated against dust and moisture ingress, ensuring easy cleaning and disinfection\*.

\*See pages 194/5 for detailed information on cleaning chemicals and procedures.



#### Cost effective upgrades

Separate PC allows for easy future IT upgrades.



Monitor powers a PC! DC-out will power a micro form PC at full processor speed!



#### Battery status made easy

Front facing LED battery indicators offer feedback on the health of each battery.

## MT700-24T - BATTERY POWERED 24IN MEDICAL MONITOR



Easily hot-swap battery packs in a matter of seconds



Clear battery status LEDs




The monitor's DC-out can power a micro-form PC!



Moisture resistant medical-grade front panel







#### Anti-microbial enclosure resists bacteria transmission

TECHNICAL SPECIFICATIONS

System	
Display	23.8in capacitive touch screen
Display Resolution	1920×1080
Viewing Angle	Horizontal 89°, Vertical 89°
Number of Colours	16.7M
Brightness	250cd/m2
Response Time	lóms
Control Button	I screen on/off button, I menu button, I auto/exit button and 2 up/down buttons
Reading Light	LED reading light × 1
Speaker	Built-in speakers
Microphone	Built-in microphones
I/O Ports	
USB Port	USB 3.0 × 6
USB Port for Touch Screen Connection	USBType-B (2.0) × I
USB Input Port	USBType-B (2.0) × 1
HDMI	1
Antenna	Wi-Fi passthrough x 2
DC-in	1
DC-out	12V x I, 15V x I, 19V x I
COM port	2



Mechanical/Environment	
Fan/Fanless	Fanless
AC/DC Adaptor	Input: 100 – 240V AC; Output: 19V DC, 3.78A
Battery Pack	MT202 Li-ion battery; 90Wh, 8250mAh x 3 (optional)
Enclosure	ABS + PC plastics, anti-microbial enclosure
Dimensions $(H \times W \times D)$	370.9 x 564.4 x 41.2 mm
Weight	6.5kg (without batteries); 7.8kg (with 3 batteries)
VESA-compliant mounting	100mm × 100mm VESA standard
Regulatory	ANSI/AAMI ES60601-1, IEC60601-1-2, FCC Part 18, FCC Part 15 Class B, IEC 62368-1, RCM, CCC
Temperature	Operation: 0°C – 40°C; Storage: -20°C – 60°C
Humidity	0% – 90% non-condensing
Major options	
Camera	5 megapixel front camera
NFC/RFID reader	Dual frequency, reads both 125KHz and 13.56MHz credentials

#### MT700-24T ACCESSORIES (available separately)



MT202 Li-ion battery pack



MT202 6-gang battery charger







#### MT600-24T - MAINS POWERED 24IN MEDICAL MONITOR

#### MT600-24T - MAINS POWERED 24IN MEDICAL MONITOR



#### A Proper stuarts and a Resalts ovor John Smith v . Dook . 992789437 v Conscion Come 215/2016 8:11 a.m. essenance Revolutio Come 2/18/2016 7:05 a.m. CHOP # 552789437 Accession # 552789437 Street or Oak Day SIND CI ADDRESSINCE 10-0-2515 00:00 am 💷 🔄 🍧 ALCENTRON . a 121 mp/dL +130 mp/dL mp/dL tetal LDL Cholesensi - Street 10.110/00/15 OF 09 am 10 10 e 216 mp/st. 400 mp/st. mp/st. -NAMESAL 10 12 2015 16 45 pm 🔤 🖉 REPORT REPORTS CONTRACTO 056% ..... AND DESCRIPTION 10 12 2910 15 45 pm 🔟 🗐 👮 APRILITIAN CO. artisT-015mp/6 0611mp/6 10.132005 1845 pm 10 10 @141 mgr8. 10.99 mg/0L 10122015 18.45 em 20 8 At month 35-51 month ..... FREEWAY

#### STATE-OF-THE-ART TOUCH SCREEN



# 10-point multi touch capacitive



MAINS POWERED (iWOW required to be plugged-in)

#### PRODUCT CODE

#### MT600-24T Mains powered 24in touch screen medical grade monitor

The Freeway Med-Tech MT600-24T Mains Powered Monitor offers the same technical specification and features as our battery powered model, just with the need for a permanent 240V mains supply. For use where an iWOW will be predominately used in a fixed location.

#### DIMENSIONS

Height = 370.9mm Width = 564.4mm Depth = 41.2mm

Side

п

#### PRODUCT ELEVATIONS





KEY FEATURES


- 240V mains operated
- High contrast 24" capacitive-type touch screen
- Fanless design
- Full-HD (1920x1080) resolution
- UL60601 certified with anti-microbial enclosure
- Withstands common medical environment cleaning chemicals\*
- OPTIONAL front camera and RFID reader available

# FRONT





REAR



#### CALL US NOW FOR MORE INFO ON 01635 866717 OR EMAIL SALES@FREEWAYMEDTECH.COM





100×100 VESA mounting

USB touch screen connection



#### Water resistant enclosures

The screen and rear enclosure are IP rated against dust and moisture ingress, ensuring easy cleaning and disinfection\*.

\*See pages 194/5 for detailed information on cleaning chemicals and procedures.



#### Cost effective upgrades

Separate PC allows for easy future IT upgrades.



#### Mains powered

Requires a permanent 240V mains outlet for use.



#### Touch screen input


All monitors and AIO's feature state of the art 10-point multitouch capacitive type touch screens.





Moisture resistant medical-grade front panel

Anti-microbial enclosure resists bacteria transmission



Built-in speakers and clear easy-to-use function buttons located on the underside of the monitor



#### TECHNICAL SPECIFICATIONS

System	
Display	23.8in capacitive touch screen
Display Resolution	1920×1080
Viewing Angle	Horizontal 89°, Vertical 89°
Number of Colours	16.7M
Brightness	250cd/m2
Response Time	16ms
Control Button	I screen on/off button, I menu button, I auto/exit button and 2 up/down buttons
Speaker	Built-in speakers
Microphone	Built-in microphones
I/O Ports	
USB Port	USB 3.0 × 6
USB Port for Touch Screen Connection	USBType-B (2.0) × I
USB Input Port	USBType-B (3.0) × I
HDMI	1
Antenna	Wi-Fi passthrough x 2
DC-in	1



Mechanical/Environment	
Fan/Fanless	Fanless
AC/DC Adaptor	Input: 100 – 240V AC; Output: 19V DC, 3.78A
Enclosure	ABS + PC plastics, anti-microbial enclosure
Dimensions $(H \times W \times D)$	370.5 × 567 × 45.2mm
Weight	6.4kg
VESA-compliant mounting	100mm × 100mm VESA standard
Regulatory	ANSI/AAMI ES60601-1, IEC60601-1-2, FCC Part 18, FCC Part 15 Class B, IEC 62368-1, RCM, CCC
Temperature	Operation: 0°C to 40°C; Storage: -10°C to 50°C
Humidity	0% – 90% non-condensing
Major options	
Camera	5 megapixel front camera
NFC/RFID reader	Dual frequency, reads both 125KHz and 13.56MHz credentials





### MT202 - LITHIUM-ION BATTERY PACK



RELATED ACCESSORIES (available separately)



#### RELATED PRODUCTS



#### PRODUCT CODE MT202 Lithium-ion Rechargeable Battery Pack

The Freeway Med-Tech MT202 Lithium-ion battery packs are for use in our Medical Grade Monitors and AIOs and offer a voltage and capacity spec of DC10.9V 7800mAh - 85Wh. Hot-swappable and featuring internal discharge circuit protection. Charge status LEDs show 4 different stages of the power cycle to aid better charging habits. Charging is supported in-monitor, or externally in our 6-bay charger. Full charge time is approx. 4.25hrs in-monitor.


#### DIMENSIONS

Front

Height = 148.4mm Width = 88.8mm Depth = 19.4mm

Side

#### PRODUCT ELEVATIONS



#### KEY FEATURES

- Hot-swappable
- 4 clear charge status LEDs
- High capacity 7800mAh per pack
- Auto short circuit protection
- Quality Samsung cells used
- Cloth tab for easy removal from monitor/AIO

#### MT202 - LITHIUM-ION BATTERY PACK

#### TECHNICAL SPECIFICATIONS

Item	General Parameter
Description	Freeway Med-Tech Li-ion rechargeable battery MT202 DC10.9V 7800mAh - 85Wh
Cell Model	Samsung SDI 18650
Typical Capacity	7800mAh
Typical Voltage	10.8V
End of Charge Voltage	12.6V
Charge Current	0.2C
Charging time	4.25 hours in monitor from 10% - 90%
End discharge Voltage	8.4V
Max continuous charge	3.9A
Maximum continuous Discharging Current	10A
Over-discharge Voltage Protection cell	2.8V
Over-Current Discharge Protection	13-16A
Short circuit protection	With protection
Dimension	148.4x88.8x19.4mm
Weight	435g
Operating Temperature Range	Charge 0~45C, Discharge 20~60C



MT202 Batteries shown in a powered monitor MT700-24T (uses up to 3 packs).



#### Remark

353P Assembly

Faster off-cart charging available using our external charger

#### SAMSUNG

High quality components Samsung SDI 18650 cells are used within our battery packs.



On-battery status LEDs Clear at-a-glance visual of battery health via four LEDs.

4 LEDs / 75-100% charged 3 LEDs / 50-75% charged 2 LEDs / 25-50% charged I LEDs / 0-25% charged



#### MT202 - 6-BAY SMART CHARGER



#### RELATED PRODUCTS (available separately)



#### PRODUCT CODE MT202 6-Bay Smart Charger

The MT202 6-Bay Smart Charger Kit (ACC-001-596) charges the hot-swappable MT202 batteries for the MT700-24T and MT500-24T series Medical Monitors / AIOs. The Kit includes one battery cradle, an AC-DC adapter, and a power cord.

The battery cradle features a DC-input jack, six battery slots, and six LEDs for power and charging indicators. Connect the AC-DC adapter cable to the DC-input jack and then insert the battery packs in the correct directon into each slot for charging.

After inserting the battery pack in the slot, the charging LED lights up (orange) if the battery pack is being recharged. When charging is complete or if the battery pack is already fully charged, the LED will show solid blue.


Side

#### DIMENSIONS

Height = 81.6mm Width = 321mm Depth = 157.6mm

#### PRODUCT ELEVATIONS

Front



### MT202 - 6-BAY SMART CHARGER

#### TECHNICAL SPECIFICATIONS

I/O Ports		
DC-in	1	
Charging Slot	6	
Mechanical and Environmen	ital	
AC/DC Adaptors	Input: 100 – 240V AC; Output: 19V DC, 10.52A	
Dimensions (H $\times$ W $\times$ D)	81.6 × 321 × 157.6 mm	
Weight	1.3kg	
Regulatory	FCC Class B, CE, C-Tick, RoHS compliant	
Temperature	Operation: 0°C – 40°C; Storage: -20°C – 60°C	
Humidity	0% – 90% non-condensing	

\*Specifications subject to change without notice.



PRECAUTIONS

void any product warranty.

Always exercise care when operating and handling.

problem to your device provider immediately.

2. Do not disassemble any portion of the charger and adapter as this will

Do not use any power adapter other than the one provided with the device or acquired from the manufacturer or its partners.

present, immediately disconnect all power sources. Please report the

4. In the unlikely event that abnormal noise, strange odour, or smoke is





Charging status LEDs Clear at-a-glance visual of charging status via individual LEDs.

Blue - fully charged battery Orange - charging battery

#### INCLUDED IN THE KIT



AC-DC power adaptor with power cord

#### Individual charging status LEDs

# **PRODUCT CLEANING AND USE OF**

## Cleaning the Freeway Med-Tech Medical Grade AIO Monitor PCs for better infection control

**Step I.** Freeway Med-Tech recommend the use of healthcare disposable alcohol based anti-bacterial wipes only on the electrical equipment (approx. 70% alcohol) such as commonly used Clinell Green Wipes.

**Step 2.** It is recommended wiping from the front of the screen first in a top to bottom motion and then finish across the bottom (the front panel is IP65 Rated). This methodology is designed to minimises the amount of streaking on the screen and reduce excess moisture collecting on the lower front screen bezel, reducing the risk of moisture entering via the lower I/O, remembering to clean the lower OSD keys in the lower right hand corner. After the front Screen has been cleaned, dispose of this wipe.

**Step 3.** With a fresh Wipe, clean the rear of the AIO PC (the rear panel is IPX2) rated). To clean the screen of AIO PC for general house keeping - use either a microfibre cloth with an alcohol based cleaning spray (approx. 70% alcohol) or disposable alcohol based cloth.



All monitor/AIO front panels are IP65 Rated

# INDUSTRY CHEMICALS

## Suitable Cleaning Chemicals

Given the vast range of cleaning products on the market, it is not possible to list all acceptable brands. We can however, confirm that our products are compatible with cleaning products containing the following chemicals or are from popular cleaning brands. Should you require confirmation of suitable products that are not listed, please contact us with the relevant product data sheet and we will confirm suitability with our in-house specialist.

Cleaner	Brand
Viraguard®	Veridien
Sani-Cloth® HB	PDI
Sani-Cloth® PLUS	PDI
Super Sani-Cloth®	PDI
CaviWipes™	Metrex
Super HDQ <sup>®</sup> L 10	Spartan
Cloro-Wipe Towelette	Surgipath
Healthcare Hydrogen Peroxide Wipes	Clorox Healthcare®
Virex®	Johnson
70% Isopropyl Alcohol	Multiple suppliers
Alcohol Prep Pads	PDI, others

#### Suitable generic chemicals:

- Hydrogen Peroxide Solutions\*

\*Solutions must ALWAYS be diluted in accordance the with manufacturer's instructions for use on medical products/furniture. \*The application of the cleaning solution MUST be in accordance the with manufacturer's instructions for use on medical products/furniture.



 Alcohol (Ethyl or Isopropyl) Solutions\* Alcohol Wipes (Ethyl or Isopropyl)\*

#### Cleaning procedure for nylon modified polyester coated surfaces:

• Painted surfaces should be cleaned using a soft damp non abrasive cloth and polished dry • Continual exposure to wet conditions is likely to result in rusting/or the paint lifting. ALWAYS DRY THE SURFACE AFTER CLEANING

• Continual use of cleaning products may result in a dulling of the surface.

• DO NOT use solvents, bleach, abrasives, synthetic detergents, wax polishes or aerosol sprays unless otherwise listed in the above list.





## MEDICAL GRADE AIO PCs & MONITORS PLUS ACCESSORIES

#### Freeway Med-Tech

Unit 14, Colthrop Business Park, Colthrop Lane, Thatcham, Berkshire, RG19 4NB.

Tel: 01635 866 717 Fax: 01635 866 347 Web: freewaymedtech.com Email: sales@freewaymedtech.com

FREEWAYMEDTECH.COM